




基礎 メッシュ




	横筋長	枚数	縦筋本数
Ⓐ	1470	1	9
Ⓑ	1570	1	9
Ⓒ	4000	2	21
Ⓓ	4500	2	24
合計		6	108


	横筋長	枚数	縦筋本数
Ⓔ	232	1	2
Ⓕ	840	2	5
Ⓖ	1830	1	10
Ⓗ	2490	1	14
Ⓘ	3000	1	16
合計		6	52

	横筋長	枚数	縦筋本数
Ⓙ	850	1	5
合計		1	5

















外周横




外周縦



基礎 現場組立




内周縦・横




スラブ横

スラブ 横	S(厚200)D13 (SD295A)@200シングル
22	(3844) 3893 D13 (SD295A)×5
23	(4994) 4500 1400 D13 (SD295A)×50
スラブ 縦	S(厚200)D13 (SD295A)@200シングル
24	(10844) 4500 4500 3270 D13 (SD295A)×18
25	(9944) 4500 4500 2370 D13 (SD295A)×7




スラブ縦



開口補強


開口補強

KAIKOU2	21 × 1
(520) (520)	(520) 520 D13 (SD295A)×2





メッシュ継手

メッシュ継手



躯体接合部



15

15

14

躯体接合部

16

16

15

15

16

18

19

20

17